CATALOG No. 26



PAEUTEA



585 18th AVENUE • NEWARK 3, NEW JERSEY • U.S.A.

ESTABLISHED 1860

In 1956 I succeeded my father, Camille L. Gairoard, as President of Kraeuter & Co., Inc. It is my determination to perpetuate his memory by continuing the high standards of quality and workmanship demanded by him throughout his long association with our company.

Kraeuter & Co., Inc., will celebrate its 100th Anniversary in 1960 . . . a tribute in itself to the wisdom and enterprise of management and the skill and loyalty of employees. But more than being one of the oldest, Kraeuter & Co., Inc. is one of the most respected manufacturers in the country today. This reputation I pledge to uphold.

I take this opportunity to thank our many valued customers and users of our products. I appreciate your friendly cooperation.

Marie - Louise Gaéroaid

President

KRAEUTER & CO., INC.

NUMERICAL INDEX

CATALOG No. 26



PLIERS

Tool

Tool Number		Page
40		.14
51		7
61		. 7
71		. 7
81 82		. 9
83		. 9
84		. 9
85		. 9
056 156		.13
256		14
356		.14
643		.14
	0	.14
743 825		.12
826		12
827		.12
835		.12
836		.12
837 1380		.12
1480		.13
1601	*******	. 7
1611		. 8
1621		. 6
1631 1641		. 6
1643		. 6
1650		. 6
1651		. 7
1660 1661		.13
1663		. 6
1671		. 6
1681		. 7
1741		. 7
1751 1771		. 7
1771 1780		. 6
1781		. 6
1800		.13
1801		. 5
1802 1820		. 5
1830		. 5
1841		. 8
1875		. 8
1943		.14
1973 2612		.14
3601		. 8
3850		. 5
4206		8
4501		5
4502 4600		5
4610		5
C-CG	4625	6
4700		13
5601		.12
5612 CG56	32.7	12
0000		0

SNIPS

STEEL GOODS

21411.2		• • • • • • • • • • • • • • • • • • • •	
Tool Number	Page	Tool Number	Page
8	15	23	18
9	15	24	18
10	15	27	18
12	15	193	18
18	15	214	18
19		291	18
K9		293	18
K10		333	17
K12		334	17
K13		336	17
K19		338	17
CGL1			17
			18
		350 391	18
CGS3	15	403	17
L1G	13	430	17
R2G	15	432	17
S3G		502	17
L1		631	17
R2		632	17
S3	15	635	17
G123 Grips	15	645	17

MISCELLANEOUS

	Po	15
31—Adjustable Wrenches		19
89—Zipper Case Set (Pliers)		9
90—Zipper Case Set (Pliers)		0
711—Leather Tool Pouch		15
Cushion Grips	8, 12,	9, 19
Safety Grips		19
Springs: Cross Coil Leaf		
Displays10, 1	1,	19

PRICES

Prices are subject to change without notice. All orders are subject to prices and terms in effect at time of shipment.

CASH TERMS

2% 10 days, Net 30 days, F. O. B. Newark, N. J.

FREIGHT TERMS

Freight PREPAID on shipments of 200.00 net billing and/or 100 lbs. within the continental limits of the United States, Alaska and Canada, except on items marked (*).

GUARANTEE

All Kraeuter Tools are designed and manufactured to give 100% satisfaction on all of the many jobs for which they are intended. If any Kraeuter Tool should fail because of defective materials or workmanship, we shall be glad to make free replacement upon its return to our factory.

RETURN GOODS

Merchandise may not be returned without prior written consent.

NOTE

If, under any law, now or hereafter passed, the seller is required to pay a tax on sales, or an excise tax, the amount of these taxes will be added to the invoice.

KRAEUTER & CO., INC., 585 18th Avenue, Newark 3, N. J., U.S.A.


KRAEUTER INDUSTRIAL PLIERS

LINEMEN'S SIDE CUTTING PLIERS

1801	Powerful heavy duty side cutting pliers for linemen in high wire and plant maintenance work. Size 6" 7" 8-1/2" Wt. Doz. Lbs. 5-1/2 7 11-1/2
1802	LINEMEN'S OVAL N. E. HEAD SIDE CUTTING PLIERS Oval head designed for convenience of operation in confined working spaces. For highwire insulation and meterbox work. Size
1830	General electricians' tool for installation of domestic and industrial wiring, plant maintenance, and repair. Size
3850	For close cutting where powerful leverage is required. Flush rivet and machined joint give smooth action. Size 6" 7" 8" Jaw Width 1" 1-1/16" 1-1/8" Wt. Doz. Lbs. 5-1/2 7-1/4 7-3/4
4501	DIAGONAL "OBLIQUE" CUTTING PLIERS A properly balanced tool. Especially designed with narrow head and keen edges for close cutting. Size
4502	7-IN. DIAGONAL CUTTING PLIERS, FULL FASHIONED HANDLES Well balanced. Proper leverage for comfort in continuous cutting. Size
4610	HEAVY DUTY DIAGONAL CUTTING PLIERS Cutter is close to joint, supplying added leverage for heavy wire work and close cutting.

Designed for use in manufacturing, construction, mines, oil fields, railroads, utilities as well as the radio and electronic fields. Hammer forged from high grade tool steel, individually fitted, tempered, adjusted and tested. Selection of the light, serviceable types and sizes will increase production and reduce costs on the assembly line. The heavy duty types and sizes are designed to carry the work load required in general maintenance and rugged service jobs.

FULL POLISHED HEADS — BLUE TEMPER HANDLES
PACKED 6 IN A BOX



CUSHION GRIP "CG" HANDLES

INDUSTRIAL PLIERS are also available with the bright colored VINYLITE CUSHION GRIPS, factory applied, at NO additional cost. On the production line, cushion grips are resilient, easier on the hand. They are tough, will not crack or peel, and resist water, acid and alkali solutions, greases, oils, and chemicals. To hobby and model craftsmen, and to professional mechanics, they give pliers the "feel" of comfortable and more accurate control.

WHEN ORDERING PLIERS WITH CUSHION GRIPS, SPECIFY THE PREFIX "CG" WITH TOOL NUMBER.

KRAEUTER INDUSTRIAL PLIERS

FULL POLISHED HEADS-BLUE TEMPER HANDLES PACKED 6 IN A BOX

INDUSTRIAL PLIERS also available with CUSHION GRIPS, factory applied at NO additional cost. WHEN ORDERING PLIERS WITH CUSHION GRIPS, SPECIFY THE PREFIX "CG" WITH TOOL NUMBER.

1641 With Cutters 1643 No Cutters

SHORT CHAIN NEEDLE NOSE PLIERS

Short milled jaws, inside length 1-13/32" tapering to 1/16" points. Size

Wt. Doz. Lbs. 2-1/2

1661 With Cutters 1671 No Cutters

LONG CHAIN

NEEDLE NOSE PLIERS Long milled jaws, inside length 1-13/16" tapering to 1/16" needle nose at points.

1781 With Cutters 1771 No Cutters

EXTRA LONG
CHAIN NOSE PLIERS
Extra long milled jaws, inside length 2-3/4" tapering to 1/8" at points. Size

1621 No Cutters

LONG NEEDLE OR

Slender milled jaws, inside length 2-3/32" tapering to 1/16" at points. Has unusual gripping capacity.

1631 No Cutters

CURVED NEEDLE OR SNIPE NOSE PLIERS

Slender milled jaws, tapering to 1/16" at points and curved to reach areas inaccessible to other pliers. Size

Wt. Doz. Lbs. 3

1663 With Cutters 1/4" long, 1/4" from tips

RADIO AND IGNITION NOSE-CUTTING PLIERS

Designed to reach into tight spots and grip or cut small wires. Useful in precision wiring where ordinary pliers are too bulky. Milled tip.

Size Wt. Doz. Lbs. 3-1/4

1650 (Electronic)

TRANSVERSE END-CUTTING PLIERS

Long jaws reach into confined areas and cut wires at the tips. Leaf spring keeps pliers in open position, ready to cut.

Size

CG5627 (Electronic)

END-CUTTING RESISTOR PLIERS

Resistor terminal cutters for cutting the terminal ends of packaged-assembly type resistors. Pliers sever terminal wires which are inaccessible except from over the resistor. Furnished with cushion grips only.

C-CG4625 (Electronic)

NEEDLE POINT DIAGONAL CUTTING PLIERS

For light electronic work. Narrow tapered nose for close cutting. Cross coil spring in handle. Furnished with cushion grips only.

Size 5" Wt. Doz. Lbs. 2-3/4

CROSS COIL SPRING


Following Pliers available with cross coil spring at slight additional cost. When ordering, specify prefix "C" with tool number:


C-CG1661 6" C-CG1663 6"

C-CG1781 7" C-CG4501 4½"

C-CG4501 5" C-CG4501 6"

Note: Cross Coil Spring Pliers furnished only with cushion grips.





Designed for use in manufacturing, construction, mines, oil fields, railroads, utilities as well as the radio and electronic fields. Hammer forged from high grade tool steel, individually fitted, tempered, adjusted and tested. Selection of the light, serviceable types and sizes will increase production and reduce costs on the assembly line. The heavy duty types and sizes are designed to carry the work load required in general maintenance and rugged service jobs.

FULL POLISHED HEADS — BLUE TEMPER HANDLES
PACKED 6 IN A BOX

Industrial Pliers also available with CUSHION GRIPS, factory applied, at no additional cost. When ordering Pliers with cushion grips, specify the prefix "CG" with tool number.

KRAEUTER

INDUSTRIAL PLIERS

51 No Cutters	Short JAW DUCK BILL PLIERS Short, flat milled jaws, inside length 1-1/2". Long handles for greater leverage. Size
1651 No Cutters	DUCK BILL OR WEAVERS' PLIERS Carefully tempered smooth jaws, 2-3/16" inside length, are thin and flat to reach into tight places. Size 6" Wt. Doz. Lbs. 3
61 No Cutters	SHORT JAW CHAIN NOSE PLIERS Short pointed nose and long handles for greater leverage. Milled jaws, inside length 1-1/2" tapering to 1/16" at points. Size 8" Wt. Doz. Lbs. 4-1/2
1681 With Cutters	CHAIN (HALF ROUND) NOSE PLIERS Sturdy milled jaws for looping heavier gauge wires, inside length 1-3/4" tapering to 5/32" at points. Size 6" Wt. Doz. Lbs. 3-1/4
71 With Cutters	SHORT JAW NOSE-CUTTING PLIERS The long handles provide maximum reach for the slender jaws to cut small wires in confined work areas. Size 8" Wt. Doz. Lbs. 4-1/2
1601 No Cutters	SHORT FLAT NOSE PLIERS A bench tool for light, fine work. Squared nose, milled jaws. Jaws Wt. Doz. Size Inside Length Lbs. 5" 1-1/32" 2-1/2 6" 1-7/16" 3-1/4
1751 With Cutters 1741 No Cutters	LONG FLAT NOSE PLIERS Flat sturdy milled jaws, 2" inside length. Squared nose. Size

2612 3601 4206 1611 1841 1875

INDUSTRIAL PLIERS

FULL POLISHED HEADS
BLUE TEMPER HANDLES
PACKED 6 IN A BOX

KRAEUTER INDUSTRIAL PLIERS

2612	WIRE STRIPPING DIAGONAL CUTTING PLIERS Narrow head—notched cutters for stripping fine wire .062 in diameter. Leaf spring in handles for fast operation. Size 6-1/2" Wt. Doz. Lbs. 3-1/2
3601	SHORT NOSE DIAGONAL CUTTING PLIERS Short nose for close-in cutting. Excellent cotter pin tool for automotive and aviation work. Size 6" Wt. Doz. Lbs. 6"
4206	HARD WIRE DIAGONAL CUTTING PLIERS Edged for cutting hard wire in small sizes not larger than 1/16" diameter. Not intended for soft wire. Size 6" Wt. Doz. Lbs. 4
1611 No Cutters Milled Jaws	ROUND NOSE ROUND JAW PLIERS Designed for use in forming loops—rings—hooks and various other wire forming work. Jaws Wt. Doz. Size Inside Length Point Lbs. 4" 7/8" 1/16" 1-1/2 5" 1-1/8" 5/64" 2-1/2 6" 1-5/16" 3/32" 3
1841	BUTTON'S PATTERN PLIERS Heavy duty general use pliers. Powerful gripping capacity. Three wire cutting notches. A tool for baling, binding and other heavy work. Size 8" 10" Wt. Doz. Lbs. 10 14
1875	FENCE TOOL AND STAPLE PULLER Stretches wire tight before fastening. Cuts wire. Pulls out stubborn staples. Drives staples. Size

CUSHION GRIP "CG" HANDLES

INDUSTRIAL PLIERS are also available with the bright colored VINYLITE CUSHION GRIPS, factory applied, at NO additional cost. On the production line, cushion grips are resilient, easier on the hand. They are tough, will not crack or peel, and resist water, acid and alkali solutions, greases, oils, and chemicals. To hobby and model craftsmen, and to professional mechanics, they give pliers the "feel" of comfortable and more accurate control.

WHEN ORDERING PLIERS WITH CUSHION GRIPS, SPECIFY THE PREFIX "CG" WITH TOOL NUMBER.

KRAEUTER

JEWELERS PRECISION PLIERS

Fine small precision pliers, matched in size and handle-shape for accurate and exacting work. These pliers are drop forged from selected tool steel, accurately machined and heat treated to exacting specifications. Selected type, most generally used by watchmakers—jewelers—hobbycrafters—model builders inventors—and in the diversified field of electronics.

FULL POLISHED FINISH-PACKED 6 IN A BOX

81

DIAGONAL CUTTING PLIERS

Designed for close cutting of small soft wires.

Size			 4-1/2"
Wt.	Doz.	Lbs.	 1-1/4

FLAT NOSE PLIERS (No Cutters)

Flat, smooth jaws. Inside length 1-3/32"—width at points 5/32". Size 4-1/2" Wt. Doz. Lbs. 1-1/2

82

END CUTTING NIPPER

Carefully edged to give a clean,

Size	 4-1/2"
Wt. Doz. Lbs.	 1-1/2

85

NOSE . . . ROUND JAW PLIERS (No Cutters) ROUND NOSE .

Round, smooth jaws. Inside length 3/4" tapering to 1/32" at

Size	4-1/2"
Wt. Doz. Lbs.	

83

CHAIN NOSE PLIERS (No Cutters)

Slender, smooth jaws. Inside length 1-3/32" tapering to 1/32"

Polit.	
Size	 4-1/2"
Wt Dog The	1.1/9

Nos. 83 - 84 - 85

Supplied with MILLED JAWS at no additional cost when specified.



PLIER SET


Three pliers in Black Zipper Case. Size 5-3/4" x 6-1/4" when closed. One each Nos. 81, 83 and 84. Wt. per Set 3/4 Lb.

PLIER SET

Five pliers in Black Zipper Case. Size 5-3/4" x 9-1/4" when closed. One each Nos. 81, 82, 83, 84 and

***				-	T 1	
Wt.	per	Set			Lb.	





CUSHION GRIP "CG" HANDLES

PRECISION PLIERS are also available with the bright colored VINYLITE CUSHION GRIPS, factory applied, at NO additional cost. On the production line, cushion grips are resilient, easier on the hand. They are tough, will not crack or peel, and resist water, acid and alkali solutions, greases, oils, and chemicals. To hobby and model craftsmen, and to professional mechanics, they give pliers the "feel" of comfortable and more accurate control.

> WHEN ORDERING PLIERS WITH **CUSHION GRIPS SPECIFY THE** PREFIX "CG" WITH TOOL NUMBER.

POINT OF SALE DISPLAYS

The Kraeuter **Precisionette** offers colorful profit picture

It carries a rapid moving stock of 41/2" Professional Precision Pliers with cushion grip handles for added comfort.

Kraeuter now offers cushion grip handles in a variety of colors (at no extra cost), for your customers to choose from. Here is something new in tool department merchandising. Stock and display the rotating Precisionette for added profits.

KP-2 Display Content:

CG81 Diagonal—9

Nipper—6 CG82

Chain Nose-9 CG83


CG84 Flat Nose—6

CG85 Round Nose—6 No charge for display.


kraeuter & co.,inc











The Rainbow Line route is loaded with treasures

KI-2 DISPLAY CONTENT:

Selection of 3 each of 14, or 6 each of any 7, fast-moving Industrial line Pliers—pages 5, 6, 7 and 8. Precision line Pliers—page 9. Professional line Pliers—page 12. CG710—10" Pliers—page 14. CG31 Adjustable Wrenches—page 19 with colorful CUSHION GRIPS, factory applied, at no additional cost.

Colorful Free Display Board with chrome trim. Size of Display Board 24" wide x 32" high.

Complete set of multiple hanger peg board brackets free with every Rainbow Line Display purchase.




KRAEUTER

PROFESSIONAL PLIERS

This line of extra fine needle point pliers is designed for light professional use. In the hands of the skilled radio or electronics technician, these tools may be depended upon for exceptional service. Perfectly balanced for ease of operation. Beautifully finished. The nose tapers to 1/32" at the point.

FULL POLISHED FINISH—PACKED 6 IN A BOX



5601	DIAGONAL CUTTING PLIERS (Needle Point) The nose of these diagonals is beveled at a 60° angle to give the cutters their fine 1/32" needle points. Size
5612	DIAGONAL CUTTING PLIERS (Needle Point) Narrow head, beveled nose, needle points, notched cutters for stripping wire .062 in diameter. Fast action leaf spring handles. Size 6-1/2" Wt. Doz. Lbs. 4
825 With Cutters 835 No Cutters	MEDIUM NOSE PLIERS (Needle Point) Medium milled jaws, inside length 1-7/16" tapering to 1/32" needle points. Size 5" Wt. Doz. Lbs. 2-1/2
826 With Cutters 836 No Cutters	LONG NOSE PLIERS (Needle Point) Long milled jaws, inside length tapering to 1/32" needle points. Size 6" Wt. Doz. Lbs. 3-1/4
827 With Cutters 837 No Cutters	EXTRA LONG NOSE PLIERS (Needle Point) Extra long milled jaws, inside length 2-3/4" tapering to 1/32" needle points. Size

CUSHION GRIP "CG" HANDLES

PROFESSIONAL PLIERS are also available with the bright colored VINYLITE CUSHION GRIPS, factory applied, at NO additional cost. On the production line, cushion grips are resilient, easier on the hand. They are tough, will not crack or peel, and resist water, acid and alkali solutions, greases, oils, and chemicals. To hobby and model craftsmen, and to professional mechanics, they give pliers the "feel" of comfortable and more accurate control.

KRAEUTER




POPULAR PRICE TOOLS

Dependable and nationally known, for the occasional mechanic on the farm, around the home, and in the home workshop.

The types and sizes of pliers are those which make most jobs easy to "do-it-yourself." Drop forged from a carefully selected grade of steel, fitted, tempered, adjusted and tested.

INDIVIDUALLY BOXED

POLISHED HEADS - BLACK HANDLES







4600

DIAGONAL CUTTING PLIERS

Used for close cutting of small wires, brads and for electrical repairs.

Size			 5"	6"
Wt.	Doz.	Lbs.	 2-3/4	4

4700

HEAVY DUTY DIAGONAL CUTTING **PLIERS**

A sturdy tool for close cutting with added leverage.

1660

LONG CHAIN NOSE SIDE CUTTING PLIERS

Loops, bends and cuts wire. For electrical and light repair work. ______ Wt. Doz. Lbs. 3-1/4

POLISHED HEADS - BLACK HANDLES







1780

EXTRA LONG CHAIN NOSE SIDE CUTTING PLIERS

Tapering jaws of extra length for reaching into tight places.

Wt. Doz. Lbs. 3-1/2

1380

SIDE CUTTING PLIERS

A good serviceable tool for general repair work. Milled teeth in nose give a firm grip. 6-1/2"

Size 6-Wt. Doz. Lbs... 6 9-1/2

1800

HEAVY DUTY SIDE CUTTING PLIERS

Sturdy, milled jaws, sharp cutters, with long handles for added leverage.

Size 8-1/2" Wt. Doz. Lbs. 11-1/2

POLISHED HEADS - BLACK HANDLES

SATIN CHROME PLATED







1820

GRIPPING AND CUTTING PLIERS

General utility pliers with side cutters, gripping jaws and wire cutting

Size	7-1/2'
Wt. Doz. Lbs.	7-1/4

1480

BUTTON'S PATTERN PLIERS

Three wire cutting notches. Strong, sharp teeth for powerful gripping. A general purpose and wire fencing tool.

Size Wt. Doz. Lbs. 10 14

056

"HI-BRITE" COMBINATION PLIERS

Low in price. Two-position slip-joint. Milled-grooved jaws. Wire cutter. PACKED 6 IN A BOX.

Size 6" Wt. Doz. Lbs.

KRAEUTER COMBINATION PLIERS

Drop forged from special analysis steel, KRAEUTER slip joint pliers have sharp milled teeth and notches for better gripping and wire cutting. Knurled handles are shaped to fit the hand comfortably and provide maximum leverage. Studs and nuts are machined from solid bar steel and carefully hardened for longer wear. Widely used on maintenance jobs in industry. KRAEUTER slip joints have also become the general purpose favorites on the farm and in the home.

PACKED 6 IN A BOX

156

Chrome Plated "DUO-BRITE" COMBINATION PLIERS

Hanger hole, milled-grooved jaws, two-position slip-joint adjustments, wire cutter. Knurled handles. Individually boxed.

256 (not illustrated)

Full Polished Chrome Plated Mirror Finish "TRI-BRITE" COMBINATION PLIERS

Hanger hole, milled-grooved jaws, two-position slip-joint adjustments, wire cutter. Knurled handles. Individually boxed.

356

Nickel Plated "GRIPTITE" COMBINATION PLIERS

Heavy duty, milled-grooved jaws. Knurled handles and wire cutter. Three-position slip-joint adjustments on 8" and 10" sizes.

Size 5-1/2" 6" 8" 10" Wt. Doz. Lbs. 3-1/2 5 9 14

40

Nickel Plated THIN NOSE COMBINATION PLIERS

Rugged pliers with narrow jaws. Two-position slip-joint adjustments. Knurled handles and wire cutter.

Size			 6"
Wt.	Doz.	Lbs.	 5

1973

Nickel Plated MECHANICS' SIDE CUTTING SLIP-JOINT PLIERS

Deep milled teeth. Keen side cutters. Knurled handles and two-position slip-joint adjustments.

Size 5-1/2" 7" Wt. Doz. Lbs. ... 3 5-1/4

743

Nickel Plated "SURE GRIP" COMBINATION PLIERS

Heavy duty tool, offset head. Three-position slip-joint adjustments. Powerful leverage for gripping and holding bars, nuts and tubing. Knurled handles.

643

Blue Temper Finish IGNITION PLIERS

A husky little drop forged tool. Very narrow head, sharp gripping teeth. Three-position slip-joint adjustments.

 Size
 5"

 Wt. Doz. Lbs.
 1

1943

Blue Temper Finish ENGINEERS' OR PUMP PLIERS

General purpose tool. Long handles for leverage and thin jaws for gripping work in confined areas. Five adjustments from 0 to 1-1/2".

CG710

Polished TONGUE-N-GROOVE JOINT PLIERS

Forged fins and grooves provide five parallel adjustments. Working capacity has a range of 3/16" to 1-5/8". Forged "T" section gives added strength to lower jaw. Available only with cushion grips.

 Size
 10"

 Wt. Doz. Lbs.
 9

















KRAEUTER INDUSTRIAL SNIPS

Designed for the tinner, mechanic and professional user. Drop forged from the finest steel, these snips are accurately ground and finished on new cutlery machinery to provide faster, smoother cuts with less wrist fatigue. The blades are skilfully hardened and tempered for longer wear. The handles are correctly shaped for comfort in either hand and proportioned for extra leverage with perfect balance. Each pair is tested and inspected, assuring the skilled workman of a superior snip that cuts easier and stays sharp longer.

INDIVIDUALLY BOXED

WORK LOAD CHART

No.	12	GA
No.	10-9-8-19-1820	GA

Cold Rolled Sheet Steel

FINISH . . . FULL POLISHED BLADES

STEEL GRAY ENAMELED HANDLES



MULTIPLE ACTION (AVIATION TYPE) SNIPS

Compound leverage for fast, easy cutting of circles, squares and irregular patterns. Tested on 18 Gauge Cold Rolled Sheet Steel.

- DROP FORGED TOOL STEEL BLADES.
- PRECISION FORMED STEEL HANDLES.
- FAST ACTION SPRING.
- BOTH BLADES SERRATED.
- POLISHED BLADES BLACK ENAMELED FORMED STEEL HANDLES.
- COLOR CODED HANDLES.
- INDIVIDUALLY BOXED.


VINYLITE CUSHION GRIPS COLOR CODED HANDLES

R2 Cuts to right

CG-L1 Factory applied, available at no additional cost.

CG-R2 Specify prefix "CG" with

CG-S3 tool number.





MULTIPLE ACTION SNIPS WITH RUBBER GRIPS

L1-G Attached, color coded, at slight additional cost.
Specify suffix "G" with

53-G tool number.

G123

Rubber Grips available. Packed 6 pairs in a box.



KRAEUTER



Sturdy, fast cutting snips at popular prices for machine shops, garages, home workshops and on the farm.

Drop forged from solid steel and carefully heat treated. The blades stay sharp and give uniform shearing action over their entire length. The bolt and nut assembly is machine finished and hardened to reduce wear. Designed to cut sheet metal, screen, poultry wire, leather, rubber, heavy cloth and canvas, gaskets, linoleum, plastics, fiber-board, and stove pipes.

WORK LOAD CHART	
K 13	26 GA
K 12	24 GA
K 10, K 9, K 19	20 GA

Cold Rolled Sheet Steel

> FINISH . . . POLISHED BLADES HARD BLACK ENAMELED HANDLES PACKED 6 IN A BOX

STANDARD PATTERN SNIPS - STRAIGHT CUT

	Length	Cut	Wt. Each
K 12	8"	2"	10 oz.
K 10	11"	2-1/2"	1 Lb. 8 oz.
K 9	12-1/2"	3"	1 Lb. 14 oz.

K 19

	COMBINATION	PATTERN	SNIPS	
Size	Length	12-1/2"		Cut 3"

K 13

C	OMBINATION	PATTER	N SNIPS-POCKE	T SIZE
Size		ngth 7"	·	Cut 1-5/8"



KRAEUTER STEEL GOODS

CHISELS

Trip hammer forged of shock-resisting chisel steel and properly heat treated to withstand severe and repeated impact. The edges are carefully ground to provide fast, sharp cuts.

BEVELED HEADS, BLACK ENAMEL FINISH, POLISHED BLADES PACKED 6 IN A BOX

430 OCTAGON COLD CHISELS

		Wt.
Cut	Length	Doz. Lbs.
3/16"	5"	1/2
1/4"	5"	3/4
5/16"	5"	1-1/4
3/8"	5-1/2"	1-3/4
1/2"	6"	2-3/4
5/8"	6-1/2"	4
3/4"	7" 8"	6
7/8"	8"	11-1/2
1"	8-1/2"	15
1/2"	12"	6
5/8"	12"	7-3/4
3/4"	12"	12
7/8"	12"	16-1/2
1"	12"	24
3/4"	18"	18
7/8"	18"	26-1/4
1"	18"	34-1/4

631 ROUND NOSE CHISELS

		Wt.
Cut	Length	Doz. Lbs.
1/8"	5"	3/4
1/4"	5"	3-1/2
5/16"	6"	3-3/4
3/8"	6"	5-1/4
1/2"	7"	9

632 DIAMOND POINT CHISELS

		Wt.
Cut	Length	Doz. Lbs.
1/8"	5"	3/4
3/16"	5"	1-3/4
1/4"	5"	3-1/2
5/16"	6"	3-3/4
3/8"	6"	6
1/2"	7"	9-1/2

635

		Wt.
Cut	Length	Doz. Lbs.
1/8"	5-1/2"	3/4
3/16"	5-1/2"	1-3/4
1/4"	5-1/2"	3-1/2
5/16"	6-1/2"	3-3/4
3/8"	6-1/2"	3-3/4
1/2"	7"	6
5/8"	7-1/9."	10

645

ROUND NOSE CAPE CHISELS

		WYT.
Cut	Length	Doz. Lbs.
1/8"	5-1/2"	2
1/4"	6"	4
3/8"	6-1/2"	6
1/2"	7"	9

432* CONCRETE CHISELS

		WYT.
Stock	Length	Doz. Lbs.
5/8"	12"	12
3/4"	12"	18
7/8"	12"	22-1/2
1"	12"	27
1"	18"	46-1/2

502 BRICK CHISELS

		Wt.
Cut	Length	Doz. Lbs.
3"	6-3/4"	13-1/2
3-1/2"	6-3/4"	15
4"	7"	19-1/2

333

THIN BLADE FLOOR CHISELS

Cut	Length	Doz. Lbs.
2"	12"	14-1/4
2-1/2"	12"	15-3/4
3"	12"	16

338

ELECTRICIAN'S CHISEL

		Wt.
Cut	Length	Doz. Lbs.
2-1/2"	8"	12

403

WOOD CHISELS

		Wt.
Cut	Length	Doz. Lbs.
3/4"	11"	7
1"	11"	10-1/2
1-1/4"	11"	11-1/2

334

RIPPING CHISEL

		Wt.
Stock	Length	Doz. Lbs.
3/4"	18"	27
		3

336

FLOOR CHISEL

tock	Length	Doz. Lbs
3/4"	18"	26
	10ck 3/4"	9

339

BENT RIPPING CHISEL

		Wt.
Cut	Length	Doz. Lbs.
1-5/8"	18"	25-1/2



334

FURGED STEEL

336

339



KRAEUTER STEEL GOODS

PUNCHES

A complete selection of sizes to meet every purpose. Trip hammer forged to correct proportions and perfect balance, accurately ground and heat treated.

BEVELED HEADS, BLACK ENAMEL FINISH, POLISHED POINTS PACKED 6 IN A BOX



23 CENTER PUNCHES

		WT.
Stock	Length	Doz. Lbs.
5/16"	4-1/2"	1
3/8"	4-1/2"	1-3/8
7/16"	4-1/2"	2-1/8
1/2"	4-1/2"	2-3/8
3/8"	6"	2
7/16"	6"	2-3/4
1/2"	6"	3-1/2



24 PRICK PUNCHES

		W 1.
Stock	Length	Doz. Lbs.
5/16"	4-1/2"	1
3/8"	4-1/2"	1-1/2
5/16"	6"	1-3/8
3/8"	6"	2
7/16"	6"	2-3/4
1/2"	6"	3-1/2



291 PIN PUNCHES

-/	1114 101	TOTILS	
Point			Wt.
No.	Size	Length	Doz. Lbs.
0	5/16"	4-1/2"	1
1	9/32"	4-1/2"	1
1 2 3 4 6 7 8 9	1/4"	4-1/2"	1
3	13/64"	4-1/2"	1
4	3/16"	4-1/2"	1
6	5/32"	4-1/2"	1
7	9/64"	4-1/2"	1
8	1/8"	4-1/2"	1
	3/32"	4-1/2"	1
0	5/16"	6"	1-3/4
1	9/32"	6"	1-3/4
2	1/4"	6"	1-3/4
3	13/64"	6"	1-3/4
0 1 2 3 4 6	3/16"	6"	1-3/4
6	5/32"	6"	1-3/4



293 MACHINE DRIFT PUNCHES

		Wt.
Point	Length	Doz. Lbs.
1/8"	5"	3/4
3/16"	5"	1-3/4
1/4"	6"	3-1/2



391 ALIGNING PUNCHES

Point	Stock	Length	Wt. Doz. Lbs.
1/8 x	3/8"	9"	2-1/2
3/16 x	1/2"	9"	3-3/4
1/4x	5/8"	9"	5-3/4
5/16 x	5/8"	12"	10
5/16 x	3/4"	12"	10-1/2
3/8x	7/8"	15"	24



27 ARCH PUNCHES

Hole Size	Wt. Doz. Lbs.
3/16"	2
1/4"	$\frac{\overline{2}}{2}$
5/16"	2
3/8"	9-1/9
7/16"	2-1/2 3 3
1/2"	2
	11/9
9/16"	4-1/2
5/8"	4-1/2
11/16"	6-3/4
3/4"	6-3/4
13/16"	11-1/4
7/8"	11-1/4
15/16"	11-3/4
1"	11-3/4
1-1/16"	14-1/2
1-1/8"	14-1/2
1-3/16"	14-1/2
1-1/4"	14-1/2
1-3/8"	16
1-1/2"	22-1/2
	23-1/4
1-5/8"	
1-3/4"	36
1-7/8"	43-1/2
2"	43-1/2



THREE SQUARE BEARING SCRAPER

		Wt.
Blade	Length	Doz. Lbs.
3"	7"	2-1/8



214* WRECKING BARS

Length	Stock	Wt. Doz. Lbs.
18"	3/4"	33
24"	3/4"	43
30"	3/4"	53
36"	3/4"	60

342 STAR DRILLS

342 STAR	DRILLS	Wt.
Hole Size	Length	Doz. Lbs.
1/4"	8"	1
5/16"	8"	1-1/2
3/8"	8"	2-1/4
7/16"	8"	2-1/4
1/2"	8"	3-1/4
1/4"	12"	1-1/2
5/16"	12"	2-1/4
3/8"	12"	3-1/2
7/16"	12"	3-1/2
1/2"	12"	5
9/16"	12"	6-1/2
5/8"	12"	6-1/2
3/4"	12"	8-1/4
7/8"	12"	12-3/4
1"	12"	17
1-1/4"	12"	29
1-1/2"	12"	33
3/4"	18"	12-3/4
7/8,"	18"	19
1"	18"	26
1-1/4"	18"	46
1-1/2"	18"	50



350 RIVET SETS

Size	Hole Size	Wt. Doz. Lbs.
00	5/16"	10
0	9/32"	9-3/4
1	15/64"	5-1/4
2	.213"	5-1/4
3	.191"	5-1/4
4	.166"	4-1/4
5	.1495"	4-1/4
6	.1405"	4-1/4
7	.1285"	4-1/4
8	.110"	4-1/4

KRAEUTER MISCELLANEOUS TOOLS

31 ADJUSTABLE WRENCHES



DROP FORGED
ALLOY STEEL
CHROME PLATED

THINNER To reach confined areas and work in close corners.

TOUGHER To endure constant use on stubborn nuts and bolts.

SMOOTHER ACTION For quick, positive adjustment with one hand.

			Wt.
	Length	Capacity	Doz. Lbs.
	4"	1/2"	1-1/4
INDIVIDUALLY	6"	3/4"	3-1/2
DOWN.	8"	15/16"	6-1/2
BOXED	10"	1-1/8"	11
	12"	1-5/16"	18
	15"	1-3/4"	42

Also available with Cushion Grips.

Specify prefix "CG" with tool number.



DISPLAY 311

12" x 12"

Self-service, easel back, with two 4", three 6", three 8", two 10", one 12". Completely assembled.

SPECIAL PANELS

Special panels, counter displays or wall displays in either peg board or solid background of plywood and masonite will be designed to customers' specifications. These are supplied for the cost of the tools only.

CROSS COIL SPRING

Following Pliers available with cross coil spring at slight additional cost. When ordering, specify prefix "C" with tool number:

C-CG1661 6" C-CG4501 4½" C-CG1663 6" C-CG4501 5" C-CG1781 7" C-CG4501 6"

Note: Cross Coil Spring Pliers furnished only with cushion grips.



711

LEATHER TOOL POUCH

Five pockets, with leather tape holder. Stitched with 7-cord top quality linen hot waxed thread, locked to solid leather back with steel rivets. Pockets made of pliable, form-fitting Russet Leather. Designed for mechanics and servicemen to carry pliers, wrenches, screwdrivers, other small tools and tape.



SAFETY GRIPS

1 1 1 1 1 1 1 1 1 1 1 1

SAFETY GRIPS

Available to fit most pliers. Knurled, easily applied without heat. These non-explosive grips provide comfort with utmost protection.

For 6", 7", 8" and 8-1/2" Pliers.

LEAF SPRING IN HANDLE

Replaceable leaf spring keeps the pliers in open position, ready to work. Effectively used by women operators to increase efficiency and reduce wrist fatigue. Available for most pliers, spring can be provided at slight additional cost, separately or in combination with cushion grips.



CUSHION GRIP "CG" HANDLES

Bright colored Vinylite, factory applied and properly cured, withstands rough use, twisting and abrasions. On the production line, cushion grips are resilient, easier of are tough, will not crack or peel.

abrasions. On the production line, cushion grips are resilient, easier on the hand. They are tough, will not crack or peel, and resist water, acid and alkali solutions, greases, oils and chemicals. To hobby and model craftsmen, and to professional mechanics, they give pliers the "feel" of comfortable and more accurate control. Specify prefix "CG" with tool number when ordering. See pages 5, 6, 7, 8, 9, 10, 11, 12.







FOR 100 YEARS THE FINEST IN HAND TOOLS 1860-1960

kraeuter & co., inc.

583-585 EIGHTEENTH AVE. NEWARK 3, NEW JERSEY

TEL. ESSEX 3-4000

May 23, 1958

NEWS FROM KRAEUTER THAT WILL SAVE YOU TIME AND MONEY!

To: OUR CUSTOMERS

Enclosed is a copy of our brand new catalog No. 26. This is our first ALL new catalog in quite some time and incorporates all of the revisions in our product line - new designs, items, stock numbers.



Enclosed you will also find a copy of our revised price list. NO!... our prices have not advanced, but some revisions have been made.

Here is a summary to help you know what changes have been made:

will be PREPAID on shipments weighing 100 lb. or more or \$200.00 net billing within the continental limits of the United States, Canada or Alaska. (This will reduce your costs in receiving Kraeuter shipments).



2. Precision Pliers: Price adjustments have been made on the following stock numbers:

	Tool						New	Old
	Numbe	r					Price	Price
	#81	With	or	without	cushion	grips	\$2.90	\$3.00
	#82	H	11	11	- 11	- 11	3.50	3.60
	#83	- 11	11	11	11	11	2.90	no change
	#84	11	11	11	11	11	2.90	3.00
	#85	11	11	- 11	11	11	2.90	3.00
Plier	Set #89	11	- 11	11	11	11	10.70	10.90
Plier	Set #90	11	11	11	11	11	17.85	18.25

- 3. Cushion Grip: The following items have been added to the list of tools now supplied with "Cushion Grips" at no additional cost:
 - 1. Aviation Snips All Styles
 - 2. Adjustable Wrenches All Styles
 - 3. #710-10" Tongue & Groove Joint Pliers
 - 4. #1875-10" Fencing Plier Red Cushion Grips

Cushion Grip is definitely a <u>plus</u> value and a selling feature to offer your customers at no additional cost.



Our customers have reported and are continuing to report increased sales and profits with the Kraeuter Cushion Grip line. Be sure to insist on genuine "Cushion Grip", supplied only by Kraeuter.

We welcome this opportunity to say thanks for your business and urge you to let us know if we can help you in any way.

you to let us know it we

Cordially, KRAEUTER & CO., INC.


Buhler

Joseph E. Buhler Sales Manager

P.S. Have you seen Kraeuter's new K Plier Line, individually boxed and priced to sell?

Kraeuter's typical high quality built into every plier.

Boost Your KRAEUTER Tool Sales!





New! Complete Kraeuter Line Catalog

Shows every tool in the big Kraeuter line, and every assortment in full color. Carefully indexed to help you find any tool instantly.



Wall or Counter Display Boards

Colorful Eye-Catching Point-of-Sale display boards that really sell Kraeuter's "Rainbow Line" of Genuine Cushion Grip pliers. Special Display assortments "Tailor Made" for you are a specialty with us.




Envelope Stuffers

Attractively printed to accompany your statements, or for special mailings. Ample space for your own imprint.



Bunting Mat Service

Complete coverage of the Kraeuter line, for use in newspapers, broadsides, letter stuffers, etc.



Black and White Proofs

Glossy Photos too, so you can make exactly the size and type of illustration you want. Especially helpful in offset printing.



Electros and Printing Plates

For catalogs and special mailing pieces. Mounted type-high, ready to use.



Individual Service, Too, Sir, On Special Kraeuter Promotions

Just ask us, we'll help you prepare the kind of advertising you want. It can tie in with our national advertising or your own promotional program.

Kraeuter & Co., Inc. 585 18th Ave., Newark 3, N. J., U.S.A.

Use the enclosed

POSTAGE-FREE ORDER CARDS

Check the items you want and mail to Kraeuter today!



BUY THE FINEST BUY KRAEUTER BUY AMERICAN



AS MODERN AS TOMORROW

kraeuter & co.,inc

FOR 100 YEARS THE FINEST IN HAND TOOLS 1860-1960 NEWARK, N. J.

PRICE SHEET - LIST PRICES

PRICES:

This list supersedes our previous lists 1257L and K358-L. Prices are subject to change without notice. All orders subject to prices and terms in effect at time of shipment.

CASH TERMS:

2% 10 days, Net 30 days, F.O.B. Newark, N. J.

FREIGHT TERMS: Freight PREPAID on shipments of \$200.00 net billing and/or 100 lbs. within the continental limits of the United States, Alaska and Canada, except on items marked (*).

GUARANTEE:

All Kraeuter Tools are designed and manufactured to give 100% satisfaction on all of the many jobs for which they are intended. If any Kraeuter Tool should fail because of defective materials or workmanship, we shall be glad to make free replacement upon its return to our factory.

RETURN GOODS: Merchandise may not be returned without prior written consent.

The Terms and Policies Covered Herewith are Effective as of the Above Date

PLIERS - 2 - PLIERS

"CG" - prefix indicates PLIERS furnished with VINYLITE CUSHION GRIPS (factory applied).

COLORS: B-blue G-green O-orange R-red Y-yellow

"C-CG" - prefix indicates PLIERS furnished with CROSS COIL SPRING and CUSHION GRIPS.

#3850 New FLUSH-RIVET END CUTTING NIPPERS replace our former #1850 in sizes 6", 7" and 8".

	Tool No. & Size	List Price Each	Color "CG"	Std. Pkg.	Cat. Page	Tool No. & Size	List Price Each	Color "CG"	Std. Pkg.	Cat. Page
	36 6"	see nev	v number (056 6"		837 7"	3.70		6	12
	38 8"	see nev	v number (056 8"		CG837 7"	3.70	Y	6	12
	40 6"	1.75		6	14	1380 61/2"	2.50		1	13
	51 8"	2.95		6	7	1380 7"	2.65		1	13
	CG51 8"	2.95	Y	6	7	1380 8"	2.85		1	13
	61 8"	3.00		6	7	1480 8"	2.50		1	13
	CG61 8"	3.00	R	6	7	1480 10"	3.00		1	13
	71 8"	3.95		6	7	1601 5"	2.40		6	7
	CG71 8"	3.95	В	6	7	CG1601 5"	2.40	0	6	7
+	81 41/2"	2.90		6	9	1601 6"	2.50		6	7
+	CG81 41/2"	2.90	R-B-G	6	9	CG1601 6"	2.50	В	6	7
+	82 41/2"	3.50		6	9	1611 4"	2.50		6	8
+	CG82 41/2"	3.50	R-B-G	6	9	CG1611 4"	2.50	0	6	8
1	83 41/2"	2.90	K-D-O	6	9	1611 5"	2.90		6	8
	CG83 4 ½"	2.90	R-B-G	6	9	CG1611 5"	2.90	Y	6	8
+	84 41/2"	2.90	K-D-O	6	9	1611 6"	3.00	2796	6	8
†	CG84 4 ½"	2.90	R-B-G	6	9	CG1611 6"	3.00	G	6	8
	85 41/2"	2.90	K-B-G	6	9	1621 6"	2.90	· ·	6	6
†	CG85 4 ½"		R-B-G	6	9	CG1621 6"	2.90	Υ	6	6
1		2.90	K-D-G		13	1631 51/2"	3.35		6	6
	056 6"	.70		6		CG1631 51/2"	3.35	G	6	6
	056 8"	.90		6	13	1641 5"	2.95	G	6	6
	156 6"	.95		1	14	CG1641 5"		D		6
	156 8"	1.20			14	1643 5"	2.95	R	6	
	156 10"	1.60			14		2.50		6	6
	256 6"	1.18			14	CG1643 5"	2.50	В	6	6
	256 8"	1.60		!	14	1650 6"	3.75	0	6	6
	256 10"	2.20			14	CG1650 6"	3.75	0	6	6
	356 51/2"	2.20		6	14	1651 6"	2.90		6	7
	356 6"	2.30		6	14	CG1651 6"	2.90	R	6	7
	356 8"	2.90		6	14	1660 6"	2.40			13
	356 10"	3.50		6	14	1661 6"	3.20		6	6
	643 5"	1.85		6	14	CG1661 6"	3.20	В	6	6
++	CG710 10"	3.00	R	6	14	C-CG1661 6"	3.50	В	6	6
	743 7"	2.90		6	14	1663 6"	3.40		6	6
	825 5"	3.60		6	12	CG1663 6"	3.40	0	6	6
	CG825 5"	3.60	В	6	12	C-CG1663 6"	3.70	0	6	6
	826 6"	3.75		6	12	1671 6"	2.60		6	6
	CG826 6"	3.75	G	6	12	CG1671 6"	2.60	G	6	6
	827 7"	4.20		6	12	1681 6"	3.15		6	7
	CG827 7"	4.20	0	6	12	CG1681 6"	3.15	0	6	7
	835 5"	3.10		6	12	1741 6"	2.60		6	7
	CG835 5"	3.10	G	6	12	CG1741 6"	2.60	0	6	7
	836 6"	3.25		6	12	1751 6"	3.45		6	7
	CG836 6"	3.25	0	6	12	CG1751 6"	3.45	G	6	7

[†] Indicates reduction in price

tt Indicates reduction in price, furnished in CG only

PLIERS

"CG" - prefix indicates PLIERS furnished with VINYLITE CUSHION GRIPS (factory applied). COLORS: B-blue G-green O-orange R-red Y-yellow

"C-CG" - prefix indicates PLIERS furnished with CROSS COIL SPRING and CUSHION GRIPS.

#3850 New FLUSH-RIVET END CUTTING NIPPERS replace our former #1850 in sizes 6", 7" and 8".

Tool No. & Size	List Price Each	Color "CG"	Std. Pkg.	Cat. Page	Tool No. & Size	List Price Each	Color "CG"	Std. Pkg.	Cat. Page
1771 7"	2.90		6	6	CG4206 6"	3.40	В	6	8
CG1771 7"	2.90	Υ	6	6	4501 41/2"	2.60		6	5
1780 7"	2.90		1	13	CG4501 41/2"	2.60	В	6	5
1781 7"	3.90		6	6	C-CG4501 41/2"	2.90	В	6	5
CG1781 7"	3.90	0	6	6	4501 5"	2.80		6	5
C-CG1781 7"	4.20	0	6	6	CG4501 5"	2.80	0	6	5
1800 81/2"	3.50		1	13	C-CG4501 5"	3.10	0	6	5
1801 6"	3.35		6	5	4501 6"	3.25		6	5
CG1801 6"	3.35	G	6	5	CG4501 6"	3.25	R	6	5
1801 7"	3.85		6	5	C-CG4501 6"	3.55	R	6	5
CG1801 7"	3.85	0	6	5	4502 7"	3.65		6	5
1801 81/2"	4.60		6	5	CG4502 7"	3.65	В	6	5
CG1801 81/2"	4.60	Υ	6	5	4600 5"	2.10		1	13
1802 81/2"	5.10		6	5	4600 6"	2.40		1	13
CG1802 8½"	5.10	R	6	5	4610 5"	2.80		6	5
1820 71/2"	2.75		1	13	CG4610 5"	2.80	Υ	6	5
1830 4"	2.70		6	5	4610 7"	3.20		6	5
CG1830 4"	2.70	R	6	5	CG4610 7"	3.20	G	6	5
1830 5"	2.80	N.	6	5	C-CG4625 5"	3.90	R	6	6
CG1830 5"	2.80	В	6	5	4700 7"	2.85		1	13
1830 61/2"	3.00		6	5	5601 41/2"	3.30		6	12
CG1830 6½"	3.00	0	6	5	CG5601 4½"	3.30	R	6	12
1830 7"	3.35	0	6	5	5601 5"	3.50		6	12
	3.35	Υ	6	5	CG5601 5"	3.50	В	6	12
CG1830 7"	3.80		6	5	5601 6"	3.85		6	12
1830 8"	3.80	В	6	5	CG5601 6"	3.85	G	6	12
CG1830 8"	2.90	D	6	8	5612 61/2"	4.35		6	12
1841 8"		0			CG5612 61/2"	4.35	0	6	12
CG1841 8"	2.90	0	6	8		3.50	R	6	6
1841 10"	3.50		6	8	CG5627 51/2"			0	O
CG1841 10"	3.50	R	6	8	TALL SECTION	PLIER S	SETS		
1850		ew number 38		0		(Zipper C	Cases)		
1875 10"	3.25		6	8	89	10.70			9
CG1875 10"	3.25	R	6	8	CG89	10.70	R-B-G		9
1943 10"	2.70		6	14	90	17.85			9
1973 51/2"	3.30		6	14	CG90	17.85	R-B-G		9
1973 7"	3.60		6	14					
2612 61/2"	3.75		6	8	additional each	in na	ndle of Pliers	,	
CG2612 61/2"	3.75	Υ	6	8	TYPES:				
3601 6"	3.50		6	8	Cross Coil	.30			19
CG3601 6"	3.50	R	6	8	Leaf	.30			19
3850 6"	3.20		6	5	Lear				
CG3850 6"	3.20	Υ	6	5		SAFETY	GRIPS		
3850 7"	3.70		6	5	Plastic easily	applied to	handle of mos	st pliers.	19
CG3850 7"	3.70	R	6	5	1 2		List Pri		
3850 8"	4.20		6	5	for 6" p		.65 @		
CG3850 8"	4.20	G	6	5	for 7" pl		.70 @		
4206 6"	3.40		6	8	for 8" ai	nd 8 1/2" pli	iers .75 @	pair	

Tool No.	Size	Cut	List Price Each	Std. Pkg.	Cat. Page	Tool No.	Stock	Length	List Price Each	Std. Pkg.	Cat. Page
		SNIPS	U9 6no 01	18678. 11	en de	2 dily	P	RICK PUNC	CHES		
8	13 3/4 "	3 1/2"	6.60	1	15	24	5/16"	4 1/2 "	.55	6	18
9	121/2"	3"	5.75	- 1	15	-	3/8"	4 1/2 "	.60	6	18
К9	121/2"	3"	3.19	6	16		5/16"	6"	.60	6	18
10	11"	21/2"	5.25	1	15	SECTION .	3/8"	6"	.65	6	18
K10	11"	21/2"	2.69	6	16		7/16"	6"	.70	6	18
12	8"	2"	4.00	1	15	14	1/2"	6"	.70	6	18
K12	8"	2"	2.19	6	16	100					
K13	7"	1 5/8 "	2.39	6	16	21-		ARCH PUNC	HES		
18	13 3/4"	31/2"	6.95	1	15	6		Hole Size			
19	121/2"	3"	6.00	1	15	27		3/16"	1.70	6	18
K19	121/2"	3"	3.85	6	16			1/4"	1.70	6	18
L1	10"	1 1/2"	4.25	1	15	181		5/16"	1.70	6	18
LIG	10"	1 1/2 "	4.60	1	15	3		3/8"	1.70	6	18
†CGL1	10" G	11/2"	4.25	1	15	13		7/16"	1.90	6	18
R2	10"	1 1/2 "	4.25	1	15			1/2"	2.10	6	18
R2G	10"	1 1/2"	4.60	1	15			9/16"	2.30	6	18
†CGR2	10" R	1 1/2"	4.25	1	15	3		5/8"	2.30	6	18
\$3	10"	1 1/2"	4.25	1	15			11/16"	2.30	6	18
S3G	10"	1 1/2"	4.60	1	15	12		3/4"	2.40	6	18
†CGS3	10" Y	1 1/2"	4.25	1	15	Par .		13/16"	2.75	6	18
G123	(Rubber Grips	- 085			00	101		7/8"	2.75	6	18
	(each pair		.60		15	12.		15/16"	3.00	6	18
					30		1	"	3.00	6	18
	ALLOY ST	TEEL AD.	JUSTABL	E	000		1	-1/16"	3.75	6	18
	W	RENCHE	S				1	-1/8"	3.75	6	18
31	4"		2.40	1	19	2	1	-3/16"	4.25	6	18
†CG31	4"	R	2.40	1	19	1	-1	-1/4"	4.25	6	18
31	6"	08.6	2.40	1	19	10	1	-3/8"	6.00	1	18
†CG31	6"	В	2.40	1	19	12	1	-1/2"	8.00	5 61	18
31	8"	3.85	2.80	1	19	3	1	-5/8"	11.00	1121	18
†CG31	8"	0	2.80	1	19	1.0	1	-3/4"	12.50	1	18
31	10"	1.33	3.55	1	19	6	1	-7/8"	13.00	1	18
†CG31	10"	G	3.55	1	19	.0	2	"	14.00	1	18
31	12"	3,50	5.20	1	19	8					
†CG31	12"	Υ	5.20	1	19	9	THREE SQ	JARE BEAR	ING SCF	RAPER	
31	15"		7.90	1	19		Blade	Length			
†CG31	15"	R	7.90	1	19	193	3"	7"	1.25	6	18
	LEATHER	TOOL I	HOLSTER	1803		M	* 1	WRECKING	BARS		
		ocket	4.65	6	19	184	Stock	Length			
711	5-n					*214	3/4 "	18"	1.90	1	18
711	5-p	OCKO						24"			18
711	and to a		CHES		100		3/4 "	24	2.20	1	
711	CENT	ER PUN	CHES		Sales of the sales		3/4 " 3/4 "	30"	2.20	1	18
	CENT	ER PUN		6	18	3	3/4 "				18 18
711	CENT Stock 5/16"	ER PUNC Length 4 ½"	.55	6	18	2 2 3		30"	2.45	1	
	Stock 5/16" 3/8"	ER PUNC Length 4 ½" 4 ½"	.55 .55	- 6	18	2 2 3	3/4 "	30"	2.45	1	
	Stock 5/16" 3/8" 7/16"	Length 4 1/2 " 4 1/2 " 4 1/2 "	.55 .55 .60	6	18 18		3/4 "	30"	2.45	1	
	Stock 5/16" 3/8" 7/16" 1/2"	Length 4 ½" 4 ½" 4 ½" 4 ½" 4 ½"	.55 .55 .60	6 6	18 18 18		3/4 "	30"	2.45	1	
	Stock 5/16" 3/8" 7/16"	Length 4 1/2 " 4 1/2 " 4 1/2 "	.55 .55 .60	6	18 18		3/4 "	30"	2.45	1	

- 5 -

Tool No.	Pt. No.	Size	Length	List Price Each	Std. Pkg.	Cat. Page	No.		ole ize	Length	List Price Each	Sid. Pkg.	Cat. Page
		PIN	PUNCH	ES					STA	R DRILL	.5		
291	0	5/16"	4 1/2"	.60	6	18	342	1/	4"	8"	.55	6	18
2/1	1	9/32"	4 1/2 "	.60	6	18			16"	8"	.55	6	18
	2	1/4"	4 1/2 "	.60	6	18		3/		8"	.60	6	18
	3	13/64"	4 1/2 "	.60	6	18			16"	8"	.60	6	18
	4	3/16"	4 1/2 "	.60	6	18		1/:		8"	.65	6	18
	6	5/32"	41/2"	.60	6	18	342	1/-		12"	.65	6	18
	7	9/64"	4 1/2 "	.60	6	18	TT		16"	12"	.65	6	18
	8	1/8"	4 1/2 "	.60	6	18	133	3/		12"	.65	6	18
	9	3/32"	41/2"	.60	6	18	133		16"	12"	.70	6	18
291	ó	5/16"	6"	.70	6	18	97	1/:		12"	.70	6	18
271	1	9/32"	6"	.70	6	18	171		16"	12"	.80	6	18
	2	1/4"	6"	.70	6	18	THE	5/8		12"	.85	6	18
	3	13/64"	6"	.70	6	18	M	3/-		12"	.95	6	18
	4	3/16"	6"	.70	6	18	100	7/8		12"	1.20	6	18
	6	5/32"	6"	.70	6	18		1"		12"	1.30	6	18
	0	3/32	O	., 0	0		1	1 1/2		12"	2.10	6	18
								1 1/2		12"	2.95	6	18
							342	3/		18"	1.15	6	18
	- 1	MACHINE	DRIFT I	PUNCHE	S		1042	7/		18"	1.35	6	18
		Point	Length				3.5	1"		18"	1.75	6	18
293		1/8"	5"	.55	6	18	100	1 1/2		18"	2.50	6	18
		3/16"	5"	.60	6	18		1 1/2		18"	3.90	6	18
		1/4"	6"	.70	6	18				2771421	100		
						,	31		RIV	ET SETS	5		
			OR CHIS	ELS				Size No.		ole ze			
333		Cut 2"	Length 12"	2.90	6	17	350	00		16"	1.75	6	18
333		2 1/2"	12"	3.10	6	17	350	0		32"	1.75	6	18
		3"	12"	3.40	6	17		1		/64"	1.55	6	18
		3	12	0.40				2		3"	1.45	6	18
						treat in	-	3		71"	1.40	6	18
								4		66"	1.30	6	18
		ELECTRIC	CIANS'	CHISEL				5		95"	1.25	6	18
		Cut	Length							105"	1.25	6	18
338		21/2"	8"	3.00	6	17		6		85"	1.20	6	18
								8		0"	1.20	6	18
		RIPPI	NG CHI	SELS			70						
		Cut	Length					^	LIGNIE	IG PUN	ICHES		
334		1 5/8"	18"	2.30	1	17							
336		2"	18"	3.00	1	17		Pt.	Stock	Length O''	1.00	,	10
339		1 5/8 "	18"	2.60	1	17	391	1/8"	3/8"	9"	1.00	6	18
								3/16"	1/2"	9"	1.15	6	18
							131	1/4"	5/8"	9"	1.25	6	18
								5/16"	5/8"	12"	1.40	6	18
						ece		5/16"	3/4"	12"	1.70	6	18
						and I	1	3/8"	7/8"	15"	2.10	6	18

Cat. Page

Tool No.	Cut	Length	List Price Each	Std. Pkg.	Cat. Page	Tool No.	Cut	Length	List Price Each	Std. Pkg.	Po
		WOOD	CHISELS					CAPE C	HISELS		
403	3/4"	11"	1.80	6	17	635	1/8"	51/2"	.55	6	1
	1"	11"	2.10	6	17	71	3/16"	51/2"	.60	6	1
	11/4"	11"	2.40	6	17		1/4"	51/2"	.65	6	1
		COLD	CHISELS			0.7	5/16"	61/2"	.80	6	1
			CHISELS			51	3/8"	61/2"	.90	6	1
430	3/16"	Length 5"	.50	6	17	81	1/2"	7"	1.00	6	1
0	1/4"	5"	.50	6	17	1 81	5/8"	71/2"	1.30	6	'
1.1	5/16"	5"	.55	6	17	101					
	3/8"	51/2"	.65	6	17	31	ROUND	NOSE	CAPE CH	ISELS	
	1/2"	6"	.70	6	17	81	Cut	Length			
	5/8"	61/2"	.80	6	17	645	1/8"	51/2"	.60	6	1
	3/4"	7"	1.05	6	17	-91	1/4"	6"	.75	6	1
	7/8"	8"	1.40	6	17	81	3/8"	61/2"	1.00	6	1
	1"	8 1/2 "	1.70	6	17	81	1/2"	7"	1.20	6	1
430	1/2"	12"	1.00	6	17	31					
5.7	5/8"	12"	1.20	6	17				o pospe	DICDI	
	3/4"	12"	1.55	6	17	KI	-2 STAND	ARD PE	G BOARL	DISPL	AT
	7/8"	12"	1.90	6	17				an awar	A SE	
	1"	12"	2.20	6	17		Peg Board,				
430	3/4"	18"	1.90	6	17	Cushi	ion Grip Rain	bow Line	is available	tor imme-	
	7/8"	18"	2.40	6	17	the	shipment. D	ols only Ch	rome trim, a	auamarine	
	1"	18"	2.95	6	17	back	ground. Selec	t 3 each c	of 14 or 6 ed	ich of any	
	*	CONCRE	TE CHISELS	S			t moving num				
* 422	Stock 5 /0"	Length 12"	1.40	6	17						
*432	5/8" 3/4"	12"	1.65	6	17		KP-2	COUNT	TER DISPL	AY	
	7/8"	12"	1.95	6	17			alternal l			
	1"	12"	2.35	3	17	VD 2	The NEW K	DACITED I	POTATING PI	PECISION-	
	1"	18"	3.15	3	17	FTTF	with a rapi	d movina	stock of 41/2	" Profes-	
						sione	I Precision Pl	iers with C	Cushion Grip	handles in	
		BRICK	CHISELS				riety of color				
502	3"	Length 6 3/4 "	1.60	6	17		merchandisi	ng. Size /"	wide, 22	nign.	
302	31/2"	63/4"	1.70	6	17	Cont		inner of Di	Carateria I		
	4"	7"	1.95	6	17		only CG81-D				
	3 3						only CG82-Er only CG83-Cl				
		UND N	OSE CHISEI	.5			only CG84-FI				
631	1/8"	Length 5"	.45	6	17		only CG85-Ro			iers	
031	1/8	5"	.55	6	17						
	5/16"	6"	.75	6	17		Lis	f Price \$1	08.00 each		
	3/8"	6"	.90	6	17						
	1/2"	7"	1.15	6	17	14	UE.				
		MOND P	OINT CHIS	ELS	108	Q.	1 00	PECIAL	PANELS		
	Cut			36	G.					l dienlass	
632	1/8"	Length 5"	.45	6	17	Speci	ial panels, c ther peg bo	ounter disport	plays or wal	d of ply-	
	3/16"	5"	.50	6	17	Wood	and masoni	ite will be	designed to	customers'	
	1/4"	5"	.55	6	17	speci	fications. The				
	5/16"	6"	.75	6	17	tools	only.				
	3/8"	6"	.90	6	17						
	1/2"	7"	1.15	6	17						

BUY THE FINEST BUY KRAEUTER BUY AMERICAN

AS MODERN AS TOMORROW

kraeuter & co.,inc

FOR 100 YEARS THE FINEST IN HAND TOOLS 1860-1960 NEWARK, N. J.

PRICE SHEET - DEALERS NET COST AND LIST PRICES

PRICES:

This list supersedes our previous lists 1257R and K358-R. Prices are subject to change without notice. All orders subject to prices and terms in effect at time of shipment.

CASH TERMS:

2% 10 days, Net 30 days, F.O.B. Newark, N. J.

FREIGHT TERMS:

Freight PREPAID on shipments of \$200.00 net billing and/or 100 lbs. within the continental limits of the United States, Alaska and Canada, except on items marked (*).

GUARANTEE: All Kraeuter Tools are designed and manufactured to give 100% satisfaction on all of the many jobs for which they are intended. If any Kraeuter Tool should fail because of defective materials or workmanship, we shall be glad to make free replacement upon its

return to our factory.

RETURN GOODS: Merchandise may not be returned without prior written consent.

The Terms and Policies Covered Herewith are Effective as of the Above Date

PLIERS - 2 - PLIERS

"CG" - prefix indicates PLIERS furnished with VINYLITE CUSHION GRIPS (factory applied).

COLORS: B-blue G-green O-orange R-red Y-yellow

"C-CG" - prefix indicates PLIERS furnished with CROSS COIL SPRING and CUSHION GRIPS.

#3850 New FLUSH-RIVET END CUTTING NIPPERS replace our former #1850 in sizes 6", 7" and 8".

	Tool No. & Size	List Price Each	Dealers Net Cost	Color "CG"	Std. Pkg.	Cat. Page	Tool No. & Size	List Price Each	Dealers Net Cost	Color "CG"	Std. Pkg.	Cat. Page
	36 6"	see new	number	056 6"			837 7"	3.70	2.47		6	12
	38 8"	see new	number	056 8"			CG837 7"	3.70	2.47	Y	6	12
	40 6"	1.75	1.17		6	14	1380 61/2"	2.50	1.67		1	13
	51 8"	2.95	1.97		6	7	1380 7"	2.65	1.77		1	13
	CG51 8"	2.95	1.97	Y	6	7	1380 8"	2.85	1.90		1	13
	61 8"	3.00	2.00		6	7	1480 8"	2.50	1.67		1	13
	CG61 8"	3.00	2.00	R	6	7	1480 10"	3.00	2.00		1	13
	71 8"	3.95	2.63		6	7	1601 5"	2.40	1.60		6	7
	CG71 8"	3.95	2.63	В	6	7	CG1601 5"	2.40	1.60	0	6	7
+	81 41/2"	2.90	1.93		6	9	1601 6"	2.50	1.67		6	7
+	CG81 41/2"	2.90	1.93	R-B-G	6	9	CG1601 6"	2.50	1.67	В	6	7
+	82 41/2"	3.50	2.33		6	9	1611 4"	2.50	1.67		6	8
+	CG82 41/2"	3.50	2.33	R-B-G	6	9	CG1611 4"	2.50	1.67	0	6	8
	83 41/2"	2.90	1.93		6	9	1611 5"	2.90	1.93		6	8
	CG83 41/2"	2.90	1.93	R-B-G	6	9	CG1611 5"	2.90	1.93	Y	6	8
+	84 41/2"	2.90	1.93		6	9	1611 6"	3.00	2.00		6	8
+	CG84 41/2"	2.90	1.93	R-B-G	6	9	CG1611 6"	3.00	2.00	G	6	8
+	85 41/2"	2.90	1.93		6	9	1621 6"	2.90	1.93		6	6
+	CG85 41/2"	2.90	1.93	R-B-G	6	9	CG1621 6"	2.90	1.93	Y	6	6
	056 6"	.70	.47		6	13	1631 51/2"	3.35	2.23		6	6
	056 8"	.90	.60		6	13	CG1631 51/2"	3.35	2.23	G	6	6
	156 6"	.95	.63		1	14	1641 5"	2.95	1.97		6	6
	156 8"	1.20	.80		1	14	CG1641 5"	2.95	1.97	R	6	6
	156 10"	1.60	1.07		1	14	1643 5"	2.50	1.67		6	6
	256 6"	1.18	.79		1	14	CG1643 5"	2.50	1.67	В	6	6
	256 8"	1.60	1.07		1	14	1650 6"	3.75	2.50		6	6
	256 10"	2.20	1.47		1	14	CG1650 6"	3.75	2.50	0	6	6
	356 51/2"	2.20	1.47		6	14	1651 6"	2.90	1.93		6	7
	356 6"	2.30	1.53		6	14	CG1651 6"	2.90	1.93	R	6	7
	356 8"	2.90	1.93		6	14	1660 6"	2.40	1.60		1	13
	356 10"	3.50	2.33		6	14	1661 6"	3.20	2.13		6	6
	643 5"	1.85	1.23		6	14	CG1661 6"	3.20	2.13	В	6	6
++	CG710 10"	3.00	2.00.	R	6	14	C-CG1661 6"	3.50	2.33	В	6	6
	743 7"	2.90	1.93		6	14	1663 6"	3.40	2.27		6	6
	825 5"	3.60	2.40		6	12	CG1663 6"	3.40	2.27	0	6	6
	CG825 5"	3.60	2.40	В	6	12	C-CG1663 6"	3.70	2.47	0	6	6
	826 6"	3.75	2.50		6	12	1671 6"	2.60	1.73		6	6
	CG826 6"	3.75	2.50	G	6	12	CG1671 6"	2.60	1.73	G	6	6
	827 7"	4.20	2.80		6	12	1681 6"	3.15	2.10		6	7
	CG827 7"	4.20	2.80	0	6	12	CG1681 6"	3.15	2.10	0	6	7
	835 5"	3.10	2.07		6	12	1741 6"	2.60	1.73		6	7
	CG835 5"	3.10	2.07	G	6	12	CG1741 6"	2.60	1.73	0	6	7
	836 6"	3.25	2.17		6	12	1751 6"	3.45	2.30		6	7
	CG836 6"	3.25	2.17	0	6	12		3.45	2.30	G	6	7
	CG836 6"	3.25	2.17	0	6	12	CG1751 6"	3.45	2.30	G	0	

[†] Indicates reduction in price

tt Indicates reduction in price, furnished in CG only

PLIERS - 3 - PLIERS

"CG" - prefix indicates PLIERS furnished with VINYLITE CUSHION GRIPS (factory applied).

COLORS: B-blue G-green O-orange R-red Y-yellow

"C-CG" - prefix indicates PLIERS furnished with CROSS COIL SPRING and CUSHION GRIPS.

#3850 New FLUSH-RIVET END CUTTING NIPPERS replace our former #1850 in sizes 6", 7" and 8".

Tool No. & Size	List Price Each	Dealers Net Cost	Color "CG"	Std. Pkg.	Cat. Page	Tool No. & Size	List Price Each	Dealers Net Cost	Color "CG"	Std. Pkg.	Cat. Page
1771 7"	2.90	1.93		6	6	CG4206 6"	3.40	2.27	В	6	8
CG1771 7"	2.90	1.93	Υ	6	6	4501 41/2"	2.60	1.73		6	5
1780 7"	2.90	1.93		1	13	CG4501 41/2"	2.60	1.73	В	6	5
1781 7"	3.90	2.60		6	6	C-CG4501 41/2"	2.90	1.93	В	6	5
CG1781 7"	3.90	2.60	0	6	6	4501 5"	2.80	1.87		6	5
C-CG1781 7"	4.20	2.80	0	6	6	CG4501 5"	2.80	1.87	0	6	5
1800 81/2"	3.50	2.33		1	13	C-CG4501 5"	3.10	2.07	0	6	5
1801 6"	3.35	2.23		6	5	4501 6"	3.25	2.17		6	5
CG1801 6"	3.35	2.23	G	6	5	CG4501 6"	3.25	2.17	R	6	5
1801 7"	3.85	2.57		6	5	C-CG4501 6"	3.55	2.37	R	6	5
CG1801 7"	3.85	2.57	0	6	5	4502 7"	3.65	2.43		6	5
1801 81/2"	4.60	3.07		6	5	CG4502 7"	3.65	2.43	В	6	5
CG1801 81/2"	4.60	3.07	Y	6	5	4600 5"	2.10	1.40		1	13
1802 8 1/2"	5.10	3.40		6	5	4600 6"	2.40	1.60		1	13
CG1802 8 ½"	5.10	3.40	R	6	5	4610 5"	2.80	1.87		6	5
1820 71/2"	2.75	1.83		1	13	CG4610 5"	2.80	1.87	Y	6	5
1830 4"	2.70	1.80		6	5	4610 7"	3.20	2.13		6	5
CG1830 4"	2.70	1.80	R	6	5	CG4610 7"	3.20	2.13	G	6	5
1830 5"	2.80	1.87		6	5	C-CG4625 5"	3.90	2.60	R	6	6
CG1830 5"	2.80	1.87	В	6	5	4700 7"	2.85	1.90		1	13
1830 61/2"	3.00	2.00		6	5	5601 41/2"	3.30	2.20		6	12
CG1830 61/2"	3.00	2.00	0	6	5	CG5601 41/2"	3.30	2.20	R	6	12
1830 7"	3.35	2.23		6	5	5601 5"	3.50	2.33		6	12
CG1830 7"	3.35	2.23	Y	6	5	CG5601 5"	3.50	2.33	В	6	12
1830 8"	3.80	2.53		6	5	5601 6"	3.85	2.57		6	12
CG1830 8"	3.80	2.53	В	6	5	CG5601 6"	3.85	2.57	G	6	12
		1.93	В	6	8	5612 61/2"	4.35	2.90		6	12
	2.90		0		8	CG5612 61/2"	4.35	2.90	0	6	12
	2.90	1.93	0	6		CG5627 51/2"	3.50	2.33	R	6	6
1841 10"	3.50	2.33		6	8	000027 0 72					
CG1841 10"	3.50	2.33	R	6	8		PLIER	SETS			
1850	se		mber 38				(Zipper	Cases)			
1875 10"	3.25	2.17		6	8	89	10.70	7.13			9
CG1875 10"	3.25	2.17	R	6	8	CG89	10.70	7.13	R-B-G		9
1943 10"	2.70	1.80		6	14	90	17.85	11.90			9
1973 51/2"	3.30	2.20		6	14	CG90	17.85	11.90	R-B-G		9
1973 7"	3.60	2.40		6	14	SDDI	NG in	handle of	Pliore		
2612 61/2"	3.75	2.50		6	8	additional each		iluliule of	Tilers,		
CG2612 61/2"	3.75	2.50	Y	6	8	TYPES:					
3601 6"	3.50	2.33		6	8	Cross Coil	.30	.20			19
CG3601 6"	3.50	2.33	R	6	8	Leaf	.30	.20			19
3850 6"	3.20	2.13		6	5						
CG3850 6"	3.20	2.13	Y	6	5			GRIPS			
3850 7"	3.70	2.47		6	5	Plastic easily					19
CG3850 7"	3.70	2.47	R	6	5			st Price	1	Dealers N	
3850 8"	4.20	2.80		6	5	for 6" pliers		@ pair			pair
CG3850 8"	4.20	2.80	G	6	5			@ pair			pair
4206 6"	3.40	2.27		6 -	8	for 8" and 8 1/2" 1	oliers .75	@ pair		.50	pair

Tool No.	Size	Cut	List Price Each	Dealers Net Cost	Std. Pkg.	Cat. Page	Tool No.	Stock	Length	List Price Each	Dealers Net Cost	Std. Pkg.	Cat. Page
		SNIF	S					Pi	RICK PI	JNCHES			
8	133/4"	31/2"	6.60	4.40	1	15	24	5/16"	4 1/2"	.55	.37	6	18
9	121/2"	3"	5.75	3.83	1	15		3/8"	4 1/2"	.60	.40	6	18
K9	121/2"	3"	3.19	2.13	6	16		5/16"	6"	.60	.40	6	18
10	11"	21/2"	5.25	3.50	1	15		3/8"	6"	.65	.43	6	18
K10	11"	21/2"	2.69	1.79	6	16		7/16"	6"	.70	.47	6	18
12	8"	2"	4.00	2.67	1	15		1/2"	6"	.70	.47	6	18
K12	8"	2"	2.19	1.46	6	16							
K13	7"	1 5/8"	2.39	1.59	6	16		A	RCH PL	INCHES			
18	13 3/4"	31/2"	6.95	4.63	1	15		Hole S	ize				
19	121/2"	3"	6.00	4.00	1	15	27	3/1		1.70	1.13	6	18
K19	121/2"	3"	3.85	2.57	6	16		1/4	"	1.70	1.13	6	18
L1	10"	1 1/2"	4.25	2.83	1	15		5/1	6"	1.70	1.13	6	18
LIG	10"	1 1/2"	4.60	3.07	1	15		3/8		1.70	1.13	6	18
†CGL1	10" G	1 1/2 "	4.25	2.83	1	15		7/1		1.90	1.27	6	18
R2	10"	1 1/2"	4.25	2.83	1	15		1/2	"	2.10	1.40	6	18
R2G	10"	1 1/2"	4.60	3.07	1	15		9/1	6"	2.30	1.53	6	18
†CGR2	10" R	1 1/2"	4.25	2.83	1	15		5/8	"	2.30	1.53	6	18
\$3	10"	1 1/2"	4.25	2.83	1	15		11/1	6"	2.30	1.53	6	18
S3G	10"	1 1/2"	4.60	3.07	1	15		3/4	"	2.40	1.60	6	18
†CGS3	10" Y	1 1/2"	4.25	2.83	1	15		13/1	6"	2.75	1.83	6	18
G123	(Rubber Gr	ips -						7/8	"	2.75	1.83	6	18
	(each po	iir	.60	.40		15		15/1	6"	3.00	2.00	6	18
								1"		3.00	2.00	6	18
	ALLOY	STEEL .	ADJUS	TABLE				1-1/16	"	3.75	2.50	6	18
		WREN	CHES					1-1/8"		3.75	2.50	6	18
31	4"		2.40	1.60	1	19		1-3/16		4.25	2.83	6	18
†CG31	4"	R	2.40	1.60	1	19		1-1/4"		4.25	2.83	6	18
31	6"		2.40	1.60	1	19		1-3/8"		6.00	4.00	1	18
†CG31	6"	В	2.40	1.60	1	19		1-1/2"		8.00	5.33	1	18
31	8"		2.80	1.87	1	19		1-5/8"		11.00	7.33	1	18
†CG31	8"	0	2.80	1.87	1	19		1-3/4"		12.50	8.33	1	18
31	10"		3.55	2.37	1	19		1-7/8"		13.00	8.67	1	18
†CG31	10"	G	3.55	2.37	1	19		2"		14.00	9.33	1	18
31	12"		5.20	3.47	1	19							
†CG31	12"	Y	5.20	3.47	1	19	T	HREE SQU	ARE BE	ARING	SCRA	PER	
31	15"		7.90	5.27	1	19		Blade	Length				
†CG31	15"	R	7.90	5.27	1	19	193	3"	7"	1.25	.83	6	18
	LEATHE	R TOC	L HOI	STER				* V	VRECKI	NG BAF	RS		
711	5-r	ocket	4.65	3.10	6	19		Stock	Length				
							*214	3/4"	18"	1.90	1.27	1	18
	CEN	ITER P	UNCHE	S				3/4"	24"	2.20	1.47	1	18
	Stock	Length						3/4"	30"	2.45	1.63	1	18
23	5/16"	41/2"	.55	.37	6	18		3/4"	36"	2.75	1.83	1	18
	3/8"	41/2"	.55	.37	6	18							
	7/16"	41/2"	.60	.40	6	18							
	1/2"	41/2"	.60	.40	6	18							
	3/8"	6"	.60	.40	6	18							
		6"	.75	.50	6	18							
	7/16"	0	./ 5		0	10							

Tool No.	Pt. No.	Size	Length	List Price Each	Dealers Net Cost	Std. Pkg.	Cat. Page	Tool No.	Hole Size	Length	List Price Each	Dealers Net Cost	Std. Pkg.	Cat. Page
			PIN PUI	NCHES						STA	R DRIL	LS		
291	0	5/16"	41/2"	.60	.40	6	18	342	1/4"	8"	.55	.37	6	18
	1	9/32"	4 1/2"	.60	.40	6	18		5/16"	8"	.55	.37	6	18
	2	1/4"	41/2"	.60	.40	6	18		3/8"	8"	.60	.40	6	18
	3	13/64"	41/2"	.60	.40	6	18		7/16"		.60	.40	6	18
	4	3/16"	41/2"	.60	.40	6	18		1/2"	8"	.65	.43	6	18
	6	5/32"	41/2"	.60	.40	6	18	342	1/4"	12"	.65	.43	6	18
	7	9/64"	41/2"	.60	.40	6	18		5/16"		.65	.43	6	18
	8	1/8"	41/2"	.60	.40	6	18		3/8"	12"	.65	.43	6	18
	9	3/32"	41/2"	.60	.40	6	18		7/16"		.70	.47	6	18
291	0	5/16"	6"	.70	.47	6	18		1/2"	12"	.70	.47	6	18
	1	9/32"	6"	.70	.47	6	18		9/16"	12"	.80	.53	6	18
	2	1/4"	6"	.70	.47	6	18		5/8"	12"	.85	.57	6	18
	3	13/64"	6"	.70	.47	6	18		3/4"	12"	.95	.63	6	18
	4	3/16"	6"	.70	.47	6	18		7/8"	12"	1.20	.80	6	18
	6	5/32"	6"	.70	.47	6	18		1"	12"	1.30	.87	6	18
									11/4"	12"	2.10	1.40	6	18
									1 1/2"	12"	2.95	1.97	6	18
		MACHI	NE DRI	ET DII	NCHES			342	3/4"	18"	1.15	.77	6	18
				ri Pu	MCHES				7/8"	18"	1.35	.90	6	18
000	Poi		Length 5"	FF	27		10		1"	18"	1.75	1.17	6	18
293	1/8		5"	.55	.37	6	18		11/4"	18"	2.50	1.67	6	18
	3/		6"	.70	.47	6	18		1 1/2 "	18"	3.90	2.60	6	18
	1/-			., 0										
		FI	LOOR C	HISEL	S						VET SET	S		
	Cut		Length						Size No.	Hole Size				
333	2"		12"	2.90	1.93	6	17	350	00	5/16"	1.75	1.17	6	18
	21/2	"	12"	3.10	2.07	6	17	000	0	9/32"	1.75	1.17	6	18
	3"		12"	3.40	2.27	6	17		1	15/64"	1.55	1.03	6	18
									2	.213"	1.45	.97	6	18
									3	.191"	1.40	.93	6	18
		FIFC	TDICIAN	IC! CH	ICEL				4	.166"	1.30	.87	6	18
		ELEC	TRICIAN	13. CH	IIJEL				5	.1495"	1.25	.83	6	18
000	Cut	"	Length 8"	200	2.00	,	17		6	.1405"	1.25	.83	6	18
338	2 1/2	2	8	3.00	2.00	6	1/		7	.1285"	1.20	.80	6	18
									8	.110"	1.20	.80	6	18
		RI	PPING	CHISE	LS									
	Cut	,,	Length	0.00	1.50		1-7			ALIGNI	NG PUI	NCHES		
334	1 5/8	3	18"	2.30	1.53	1	17		Pt.	Stock Length				
336	2"	,,	18"	3.00	2.00	1	17	391		3/8" 9"	1.00	.67	6	18
339	1 5/8	3	18"	2.60	1.73	-	17			1/2" 9"	1.15	.77	6	18
										5/8" 9"	1.25	.83	6	18
										5/8" 12"	1.40	.93	6	18
										3/4" 12"	1.70	1.13	6	18
										7/8" 15"	2.10	1.40	6	18
									3/3					

Tool No.	Cut	Length	List Price Each	Dealers Net Cost	Std. Pkg.	Cat. Page	Tool No.	Cut	Length	List Price Each	Dealers Net Cost	Std. Pkg.	Cat Pag
		WOOD	CHIS	ELS					CAPE	CHISE	LS		
403	3/4"	11"	1.80	1.20	6	17	635	1/8"	51/2"	.55	.37	6	17
	1"	11"	2.10	1.40	6	17		3/16"	51/2"	.60	.40	6	17
	11/4"	11"	2.40	1.60	6	17		1/4"	51/2"	.65	.43	6	17
		COLD	CHICK	16				5/16"	61/2"	.80	.53	6	17
		COLD	CHISE	r2				3/8"	61/2"	.90	.60	6	17
430	3/16"	Length 5"	.50	.33	6	17		1/2"	7"	1.00	.67	6	17
400	1/4"	5"	.50	.33	6	17		5/8"	71/2"	1.30	.87	6	17
	5/16"	5"	.55	.37	6	17							
	3/8"	51/2"	.65	.43	6	17		ROUN	ND NOS	E CAP	E CHISE	LS	
	1/2"	6"	.70	.47	6	17		Cut	Length				
	5/8"	61/2"	.80	.53	6	17	645	1/8"	51/2"	.60	.40	6	17
	3/4"	7"	1.05	.70	6	17		1/4"	6"	.75	.50	6	17
	7/8"	8"	1.40	.93	6	17		3/8"	61/2"	1.00	.67	6	17
	1"	81/2"	1.70	1.13	6	17		1/2"	7"	1.20	.80	6	17
430	1/2"	12"	1.00	.67	6	17							
	5/8"	12"	1.20	.80	6	17							
	3/4"	12"	1.55	1.03	6	17	K1	-2 STAN	IDARD	PEG BO	DARD I	DISPLA	Y
	7/8"	12"	1.90	1.27	6	17							11
	1"	12"	2.20	1.47	6	17	K1-2	Peg Board	d. size 24	" wide x	32" high	n. with	
430	3/4"	18"	1.90	1.27	6	17		on Grip R					
	7/8"	18"	2.40	1.60	6	17	diate	shipment.	Display o	and brack	ets suppl	ied for	
	1"	18"	2.95	1.97	6	17		ost of the t					
	*	CONCRI	TE CH	HISELS				ground. Se st moving		n or 14 c	or o each	or any	
	Stock	Length											
*432	5/8"	12"	1.40	.93	6	17							
	3/4"	12"	1.65	1.10	6	17		KP-	2 COU	NTER D	ISPLAY		10
	7/8"	12"	1.95	1.30	6	17							10
	1"	12"	2.35	1.57	3	17		The NEW					
	1"	18"	3.15	2.10	3	17		with a ra					
		BRICK	CHISE	LS				riety of col					
502	Cut 3"	Length 6 3/4 "	1.60	1.07	6	17		merchand	ising. Size	7" wide	, 22" hig	h.	
502	31/2"	63/4"	1.60	1.13	6	17	Cont						
	4"	7"	1.95	1.30	6	17		only CG81					
								only CG82			S		
	R	DUND N	OSE C	HISELS				only CG83					
401	Cut	Length	15	20		17		only CG84					
631	1/8"	5" 5"	.45	.30	6	17	6	only CG85	-Round No	se Round	Jaw Pliers		
	1/4"	6"	.75	.50	6	17			List Price	\$108.00	each		
	5/16" 3/8"	6"	.90	.60	6	17		Dec	lers Net	Price \$71	.88 each		
	1/2"	7"	1.15	.77	6	17							
	Cut	MOND P	OINT	CHISELS	•					L PAN			
632	1/8"	5"	.45	.30	6	17	Speci	al panels,	counter o	displays o	or wall d	isplays	
	3/16"	5"	.50	.33	6	17		ther peg k I and maso					
	1/4"	5"	.55	.37	6	17		fications. T					
	5/16"	6"	.75	.50	6	17		only.					
	3/8"	6"	.90	.60	6	17							
	1/2"	7"	1.15	.77	6	17							